

INVIA

Datasheet



The INVIA is a barrier or anti-parking post that can be used for various applications. The post is fitted with reflectors that give it a robust and natural appearance. The reflectors are standard available in red/white. Ideal as an anti-parking post or shielding between road and cycle path. The post is delivered fully assembled. Only digging a hole will be required.



timberlab
natural outdoor solutions



SPECIFICATIONS

- **Dimensions:** 150mm
- **Lifespan:** Every type of wood has its own durability class. More information can be found at "Wood species" & "Sustainability".


OPTIONS

- **Wood species:** Larch/Douglas (only in combination with post support), oak, chestnut or Accoya
- **Certification:** FSC or PEFC
- **Post support:** The BLOCCO is available with or without post support. See our "Post support" datasheet for all technical data.
- **Variations :** All Timberlab products are unique. In addition to our standard options, we offer customization. Think of adding logos, sockets or different dimensions.



Only products indicated with the FSC® claim are FSC certified and come with our FSC-certificate number NC-COC-029615-KE. Only products indicated with the PEFC™ claim are 100% PEFC certified and come with our PEFC-certificate number NC-PEFC/COC-029615-FJ.

DIMENSIONS AND WEIGHT



Weight larch/douglas	n.a.	6 kg
Weight chestnut	16 kg	6 kg
Weight oak	20 kg	8 kg
Weight Accoya	14 kg	6 kg

CO2 storage larch/douglas	n.a.	10 kg
CO2 storage chestnut	25 kg	10 kg
CO2 storage oak	32 kg	13 kg
CO2 storage Accoya	23 kg	9 kg

PRODUCT CODE GENERATOR

Product family	Wood species	Certification	In ground / post support	Colour temp.	Type	Voltage	Variations
XX	X	X	XX	X	X	X	XX
81= INVIA	1= Larch 2= Chestnut 3= Oak 4= Accoya	0= N.a. 1= FSC 2= PEFC	00= Length 1 + 500mm in ground 96= Length 2 without post support	0= N.a.	2= 2 Reflecting stripes 4= Rectangular reflector 2 sides	0= N.a.	00

EXAMPLE

INVIA, Accoya, FSC, Length 1 + 500mm in ground, 2 reflecting stripes
Product code: 81410002000

